## **Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims:**

1. (currently amended) A method of service-chaining a client device request for service, comprising:

receiving a client device request for an application program <u>service</u> at a first physical server;

determining with a service-chaining module of said first physical server an identity of a second physical server within a distributed environment that is able to service stores said request for said application program service associated with said client device request for said application program; and

transmitting a message object from said first physical server to said second physical server to enable said second physical server to <u>service</u> transmit said application program <u>service</u> to said client device in response to said client device request transmitted to said first physical server.

2. (currently amended) The method according to claim 1, further comprising:

receiving said message object at said second physical server; and initiating a servicing of said client device request for said service application at said second physical server.

3. (canceled)

4. (currently amended) The method according to claim 1, further comprising:

determining said identity of said second physical server from a predefined profile; and

selecting said second physical server from among a plurality of possible physical servers, said selected second physical server having a most efficient path for <u>providing said service for transferring said application program associated with said client device request for said application program.</u>

5. (currently amended) The method according to claim 1, further comprising:

packaging said client device request for said <u>service</u> application program and a storage location of said <u>service</u> application program into an itinerary; and

forwarding said itinerary to said second physical server.

6. (currently amended) The method according to claim 5, further comprising:

completing a first service associated with said client device request for said <u>service</u> application program, on said second physical server; and

initiating a second service from said second physical server in response to said completion of said first service.

7. (currently amended) A method of service-chaining a client device request for service, comprising:

determining with a service-chaining module of a first physical server an identity of a second physical server within a distributed environment that <u>is able to provide a service stores</u> a request[[ed]] <u>for an application program service</u> associated with a client device request transmitted to said first physical server; and

transmitting a message object containing data associated with said client device request for said <u>service</u> application program to said second physical server;

wherein said second physical server is enabled to <u>provide said</u> service transmit supply said application program to said client device in response to said client device request transmitted to said first physical server.

8-25. (canceled)